

# BENCHTECH FLAT ISLAND BENCH

900mm Long Bench with Solid Undershelf

9.12

BENCHTECH

BT-FB-609 / BENCHTECH 900 x 600 FLAT ISLAND BENCH



## features and benefits

- 304 Grade, 1.2mm Thick S.S Benchtop
- 304 Grade, 1.2mm Thick S.S Solid Shelf
- 2.0mm Corrosion Resistant Zinc Plated Steel Substrate Benchtop
- Satin Finish
- 38mm Diameter S.S. Tube Legs
- Adjustable Feet Height
- S.S. 'C Channel' Reinforcement Shelves

## about

BenchTech Flat Island Benches are made from 1.2mm grade 304 stainless steel complete with a 2.0mm corrosion resistant zinc plated steel substrate and come supplied with our S.S. Tube Legs with Adjustable Feet and 1.2mm grade 304 stainless steel solid under shelf. A pipe under shelf can be supplied in lieu if requested (please consult Britex). Built to true commercial specifications, the BenchTech modular system can be used for a full kitchen fit-out or integrated with custom -made Britex benches and shelves to achieve a more cost effective overall project solution. Providing absolute value for money, BenchTech is ideal for use in projects such as teaching kitchens, canteens, cafes and restaurants.

## sample spec. text

*Benchtech 900mmx600mm Flat Island Bench. Complete with Solid Undershelf and Adjustable Feet - Product Code BT-FB-609*

\*RED TEXT may denote a variable where one option only is to be selected, a nominal dimension that needs to be specified, or an optional feature that can be removed if not required. Please refer to the back of this page for additional specification details and options.

VISIT [BRITEX.COM.AU](http://BRITEX.COM.AU) TO DOWNLOAD BIM FILES, CAD DRAWINGS AND THE MOST CURRENT PRODUCT LITERATURE.



**MELBOURNE**  
Britex Place, Mirra Crt  
Bundoora VIC 3083  
t (03) 9466 9000  
f (03) 9466 9011

**SYDNEY**  
16 Northumberland Drv  
Taren Point NSW 2229  
t (02) 9531 2100  
f (02) 9531 2800

**PERTH**  
Unit 1/8 Principal Link  
Malaga WA 6090  
t (08) 9249 5464  
f (08) 9248 6893

**BRISBANE**  
19 Manilla St  
East Brisbane QLD 4169  
t (07) 3363 2400  
f (07) 3363 2444

**ADELAIDE**  
The Britex Group  
SA State Office  
t 1300 764 744  
f 1300 784 306


[britex.com.au](http://britex.com.au) | [info@britex.com.au](mailto:info@britex.com.au) | A.B.N 83 004 309 737

# BENCHTECH FLAT ISLAND BENCH


## 900mm Long Bench with Solid Undershelf

PRODUCT CODE


### BT-FB-609



MODEL BT-FB-609 Plan



MODEL BT-FB-609 Front Elevation



MODEL BT-FB-609 Section



*When specifying this product please include:*

- Product **Name** and **Code**
- Product **Dimensions**



- Product Length - Available in: 900, 1200, 1500 and 1800mm Standard Lengths
- Pipe shelf option - Contact Britex

VISIT [BRITEX.COM.AU](http://BRITEX.COM.AU) TO DOWNLOAD BIM FILES, CAD DRAWINGS AND THE MOST CURRENT PRODUCT LITERATURE.



Due to ongoing research and our commitment to product development, details are subject to change without notice. Details accurate at time of print. Please refer to [britex.com.au](http://britex.com.au) for the most current product information. Allow +/- 5mm tolerance for dimensions and setouts shown in product literature.

[britex.com.au](http://britex.com.au) | [info@britex.com.au](mailto:info@britex.com.au) | A.B.N 83 004 309 737



# BENCHTECH FLAT ISLAND BENCH

1200mm Long Bench with Solid Underself

9.13

BENCHTECH

BT-FB-612 / BENCHTECH 1200 x 600 FLAT ISLAND BENCH



## features and benefits

- 304 Grade, 1.2mm Thick S.S Benchtop
- 304 Grade, 1.2mm Thick S.S Solid Shelf
- 2.0mm Corrosion Resistant Zinc Plated Steel Substrate Benchtop
- Satin Finish
- 38mm Diameter S.S. Tube Legs
- Adjustable Feet Height
- S.S. 'C Channel' Reinforcement Shelves

## about

BenchTech Flat Island Benches are made from 1.2mm grade 304 stainless steel complete with a 2.0mm corrosion resistant zinc plated steel substrate and come supplied with our S.S. Tube Legs with Adjustable Feet and 1.2mm grade 304 stainless steel solid under shelf. A pipe under shelf can be supplied in lieu if requested (please consult Britex). Built to true commercial specifications, the BenchTech modular system can be used for a full kitchen fit-out or integrated with custom -made Britex benches and shelves to achieve a more cost effective overall project solution. Providing absolute value for money, BenchTech is ideal for use in projects such as teaching kitchens, canteens, cafes and restaurants.

## sample spec. text

*Benchtech 1200mmx600mm Flat Island Bench. Complete with Solid Underself and Adjustable Feet - Product Code BT-FB-612*

\*RED TEXT may denote a **variable** where one option only is to be selected, a **nominal dimension** that needs to be specified, or an **optional feature** that can be removed if not required. Please refer to the back of this page for additional specification details and options.

VISIT [BRITEX.COM.AU](http://BRITEX.COM.AU) TO DOWNLOAD BIM FILES, CAD DRAWINGS AND THE MOST CURRENT PRODUCT LITERATURE.



**MELBOURNE**  
Britex Place, Mirra Crt  
Bundoora VIC 3083  
t (03) 9466 9000  
f (03) 9466 9011

**SYDNEY**  
16 Northumberland Drv  
Taren Point NSW 2229  
t (02) 9531 2100  
f (02) 9531 2800

**PERTH**  
Unit 1/8 Principal Link  
Malaga WA 6090  
t (08) 9249 5464  
f (08) 9248 6893

**BRISBANE**  
19 Manilla St  
East Brisbane QLD 4169  
t (07) 3363 2400  
f (07) 3363 2444

**ADELAIDE**  
The Britex Group  
SA State Office  
t 1300 764 744  
f 1300 784 306


[britex.com.au](http://britex.com.au) | [info@britex.com.au](mailto:info@britex.com.au) | A.B.N 83 004 309 737

# BENCHTECH FLAT ISLAND BENCH


1200mm Long Bench with Solid Underself

PRODUCT CODE


## BT-FB-612



MODEL BT-FB-612 Plan



MODEL BT-FB-612 Front Elevation



MODEL BT-FB-612 Section

*When specifying this product please include:*

- Product **Name** and **Code**
- Product **Dimensions**

specifying guide

options

- Product Length - Available in: 900, 1200, 1500 and 1800mm Standard Lengths

VISIT [BRITEX.COM.AU](http://BRITEX.COM.AU) TO DOWNLOAD BIM FILES, CAD DRAWINGS AND THE MOST CURRENT PRODUCT LITERATURE.



Due to ongoing research and our commitment to product development, details are subject to change without notice. Details accurate at time of print. Please refer to [britex.com.au](http://britex.com.au) for the most current product information. Allow +/- 5mm tolerance for dimensions and setouts shown in product literature.

[britex.com.au](http://britex.com.au) | [info@britex.com.au](mailto:info@britex.com.au) | A.B.N 83 004 309 737



# BENCHTECH FLAT ISLAND BENCH

1500mm Long Bench with Solid Undershelf

9.14

BENCHTECH

BT-FB-615 / BENCHTECH 1500 x 600 FLAT ISLAND BENCH



## features and benefits

- 304 Grade, 1.2mm Thick S.S Benchtop
- 304 Grade, 1.2mm Thick S.S Solid Shelf
- 2.0mm Corrosion Resistant Zinc Plated Steel Substrate Benchtop
- Satin Finish
- 38mm Diameter S.S. Tube Legs
- Adjustable Feet Height
- S.S. 'C Channel' Reinforcement Shelves

## about

BenchTech Flat Island Benches are made from 1.2mm grade 304 stainless steel complete with a 2.0mm corrosion resistant zinc plated steel substrate and come supplied with our S.S. Tube Legs with Adjustable Feet and 1.2mm grade 304 stainless steel solid under shelf. A pipe under shelf can be supplied in lieu if requested (please consult Britex). Built to true commercial specifications, the BenchTech modular system can be used for a full kitchen fit-out or integrated with custom -made Britex benches and shelves to achieve a more cost effective overall project solution. Providing absolute value for money, BenchTech is ideal for use in projects such as teaching kitchens, canteens, cafes and restaurants.

## sample spec. text

*Benchtech 1500mmx600mm Flat Island Bench. Complete with Solid Undershelf and Adjustable Feet - Product Code BT-FB-615*

\*RED TEXT may denote a **variable** where one option only is to be selected, a **nominal dimension** that needs to be specified, or an **optional feature** that can be removed if not required. Please refer to the back of this page for additional specification details and options.

VISIT [BRITEX.COM.AU](http://BRITEX.COM.AU) TO DOWNLOAD BIM FILES, CAD DRAWINGS AND THE MOST CURRENT PRODUCT LITERATURE.



**MELBOURNE**  
Britex Place, Mirra Crt  
Bundoora VIC 3083  
t (03) 9466 9000  
f (03) 9466 9011

**SYDNEY**  
16 Northumberland Drv  
Taren Point NSW 2229  
t (02) 9531 2100  
f (02) 9531 2800

**PERTH**  
Unit 1/8 Principal Link  
Malaga WA 6090  
t (08) 9249 5464  
f (08) 9248 6893

**BRISBANE**  
19 Manilla St  
East Brisbane QLD 4169  
t (07) 3363 2400  
f (07) 3363 2444

**ADELAIDE**  
The Britex Group  
SA State Office  
t 1300 764 744  
f 1300 784 306

[britex.com.au](http://britex.com.au) | [info@britex.com.au](mailto:info@britex.com.au) | A.B.N 83 004 309 737

# BENCHTECH FLAT ISLAND BENCH


1500mm Long Bench with Solid Undershelf

PRODUCT CODE


## BT-FB-615



MODEL BT-FB-615 Plan



MODEL BT-FB-615 Front Elevation



MODEL BT-FB-615 Section

*When specifying this product please include:*

- Product **Name** and **Code**
- Product **Dimensions**

specifying guide

options

- Product Length - Available in: 900, 1200, 1500 and 1800mm Standard Lengths

VISIT [BRITEX.COM.AU](http://BRITEX.COM.AU) TO DOWNLOAD BIM FILES, CAD DRAWINGS AND THE MOST CURRENT PRODUCT LITERATURE.



Due to ongoing research and our commitment to product development, details are subject to change without notice. Details accurate at time of print. Please refer to [britex.com.au](http://britex.com.au) for the most current product information. Allow +/- 5mm tolerance for dimensions and setouts shown in product literature.

[britex.com.au](http://britex.com.au) | [info@britex.com.au](mailto:info@britex.com.au) | A.B.N 83 004 309 737



# BENCHTECH FLAT ISLAND BENCH

1800mm Long Bench with Solid Undershelf

9.15

BENCHTECH

BT-FB-618 / BENCHTECH 1800 x 600 FLAT ISLAND BENCH



## features and benefits

- 304 Grade, 1.2mm Thick S.S Benchtop
- 304 Grade, 1.2mm Thick S.S Solid Shelf
- 2.0mm Corrosion Resistant Zinc Plated Steel Substrate Benchtop
- Satin Finish
- 38mm Diameter S.S. Tube Legs
- Adjustable Feet Height
- S.S. 'C Channel' Reinforcement Shelves

## about

BenchTech Flat Island Benches are made from 1.2mm grade 304 stainless steel complete with a 2.0mm corrosion resistant zinc plated steel substrate and come supplied with our S.S. Tube Legs with Adjustable Feet and 1.2mm grade 304 stainless steel solid under shelf. A pipe under shelf can be supplied in lieu if requested (please consult Britex). Built to true commercial specifications, the BenchTech modular system can be used for a full kitchen fit-out or integrated with custom -made Britex benches and shelves to achieve a more cost effective overall project solution. Providing absolute value for money, BenchTech is ideal for use in projects such as teaching kitchens, canteens, cafes and restaurants.

## sample spec. text

*Benchtech 1800mmx600mm Flat Island Bench. Complete with Solid Undershelf and Adjustable Feet - Product Code BT-FB-618*

\*RED TEXT may denote a **variable** where one option only is to be selected, a **nominal dimension** that needs to be specified, or an **optional feature** that can be removed if not required. Please refer to the back of this page for additional specification details and options.

VISIT [BRITEX.COM.AU](http://BRITEX.COM.AU) TO DOWNLOAD BIM FILES, CAD DRAWINGS AND THE MOST CURRENT PRODUCT LITERATURE.



**MELBOURNE**  
Britex Place, Mirra Crt  
Bundoora VIC 3083  
t (03) 9466 9000  
f (03) 9466 9011

**SYDNEY**  
16 Northumberland Drv  
Taren Point NSW 2229  
t (02) 9531 2100  
f (02) 9531 2800

**PERTH**  
Unit 1/8 Principal Link  
Malaga WA 6090  
t (08) 9249 5464  
f (08) 9248 6893

**BRISBANE**  
19 Manilla St  
East Brisbane QLD 4169  
t (07) 3363 2400  
f (07) 3363 2444

**ADELAIDE**  
The Britex Group  
SA State Office  
t 1300 764 744  
f 1300 784 306

[britex.com.au](http://britex.com.au) | [info@britex.com.au](mailto:info@britex.com.au) | A.B.N 83 004 309 737

# BENCHTECH FLAT ISLAND BENCH

1800mm Long Bench with Solid Undershelf


PRODUCT CODE

## BT-FB-618


9.15

BENCHTECH


BT-FB-618 / BENCHTECH 1800 x 600 FLAT ISLAND BENCH



MODEL BT-FB-618 Plan



MODEL BT-FB-618 Front Elevation



MODEL BT-FB-618 Section

specifying  
guide

*When specifying this product please include:*

- Product **Name** and **Code**
- Product **Dimensions**

options

- Product Length - Available in: 900, 1200, 1500 and 1800mm Standard Lengths

VISIT [BRITEX.COM.AU](http://BRITEX.COM.AU) TO DOWNLOAD BIM FILES, CAD DRAWINGS AND THE MOST CURRENT PRODUCT LITERATURE.



Due to ongoing research and our commitment to product development, details are subject to change without notice. Details accurate at time of print. Please refer to [britex.com.au](http://britex.com.au) for the most current product information. Allow +/- 5mm tolerance for dimensions and setouts shown in product literature.

[britex.com.au](http://britex.com.au) | [info@britex.com.au](mailto:info@britex.com.au) | A.B.N 83 004 309 737

